



Competitiveness and Sustainable Development Institute

Perfil de la Curva de Demanda diaria en el SEIN

Demanda

Pronóstico Demanda TR

Máxima Demanda

Desde:

Hasta:


05/02/2026

06/02/2026

Consultar

Exportar

| | | | |
|------------------|-----------|-----------|-----------|
| 2026/02/05 09:30 | 8 097,700 | 8 130,412 | 8 105,353 |
| 2026/02/05 10:00 | 8 254,700 | 8 238,338 | 8 105,353 |
| 2026/02/05 10:30 | 8 337,900 | 8 372,784 | 8 331,386 |
| 2026/02/05 11:00 | 8 383,900 | 8 489,910 | 8 331,386 |
| 2026/02/05 11:30 | 8 388,200 | 8 478,104 | 8 432,169 |
| 2026/02/05 12:00 | 8 532,500 | 8 426,123 | 8 432,169 |
| 2026/02/05 12:30 | 8 485,400 | 8 524,628 | 8 369,470 |
| 2026/02/05 13:00 | 8 411,200 | 8 434,582 | 8 369,470 |
| 2026/02/05 13:30 | 8 283,100 | 8 313,290 | 8 276,311 |
| 2026/02/05 14:00 | 8 350,000 | 8 334,857 | 8 276,311 |
| 2026/02/05 14:30 | 8 341,400 | 8 325,507 | 8 503,860 |
| 2026/02/05 15:00 | 8 261,300 | 8 393,163 | 8 503,860 |
| 2026/02/05 15:30 | 8 331,700 | 8 559,140 | 8 476,594 |



<https://www.coes.org.pe/Portal/portalinformacion/demanda>

COMENTARIO: la máxima demanda se produce al mediodía y, entre las 9:30 y las 15:30 la demanda se mantiene arriba de los 8,000 MW.

El periodo de max. demanda horaria ya no se produce durante la noche.

Dr. Jaime E. Luyo

